

Customer Publications Featuring Fluidigm Single-Cell Technology

As of August 12, 2014 (200 publications)

Symbol Legend

* – Featured C1™ System publications

* – Featured CyTOF™ System publications

All other citations refer to the single-cell gene expression STA workflow.

Analysis Methods

Durruthy-Durruthy, R, et al. "Reconstruction of the Mouse Otocyst and Early Neuroblast Lineage at Single-Cell Resolution." *Cell* (2014): 157(4): 964-78.

Buettner, F, et al. "Probabilistic PCA of censored data: accounting for uncertainties in the visualization of high-throughput single-cell qPCR data." *Bioinformatics* (2014): 30(13): 1867-75.

Roth, A, et al. "PyClone: statistical inference of clonal population structure in cancer." *Nat Methods* (2014): (4): 396-8.

Trapnell, C, et al. "The dynamics and regulators of cell fate decisions are revealed by pseudotemporal ordering of single cells." *Nat Biotechnol* (2014): 32(4):381-6.*

Armond, J, et al. "A stochastic model dissects cell states in biological transition processes." *Sci Rep* (2014): 4:3692.

Cancer Research

Ennen, M, et al. "Single-cell gene expression signatures reveal melanoma cell heterogeneity." *Oncogene* (2014): Epub ahead of print.

Ha, G., et al. "TITAN: Inference of copy number architectures in clonal cell populations from tumor whole genome sequence data." *Genome Res* (2014): Epub ahead of print.

Chang, Q., et al. "Single cell measurement of the uptake, intratumoral distribution, and cell cycle effects of cisplatin using mass cytometry." *International Journal of Cancer* (2014): Epub ahead of print.*

Melchor, L, et al. "Single-cell genetic analysis reveals the composition of initiating clones and phylogenetic patterns of branching and parallel evolution in myeloma." *Leukemia* (2014): Epub ahead of print.

Papaemmanuil, E, et al. "RAG-mediated recombination is the predominant driver of oncogenic rearrangement in ETV6-RUNX1 acute lymphoblastic leukemia." *Nature Genetics* (2014): 46(2):116-25.

Potter, NE, et al. "Single-cell mutational profiling and clonal phylogeny in cancer." *Genome Research* (2013).

Adalsteinsson, V, et al. "Single cells from human primary colorectal tumors exhibit polyfunctional heterogeneity in secretions of ELR+ CXC chemokines." *Integr. Biol.* 5 (2013): 1272-81.

Dalerba, P, et al. "Single-cell dissection of transcriptional heterogeneity in human colon tumors." *Nature Biotechnology* 29 (2011): 1120-7.

Wang, Y.V, et al. "Fine-tuning p53 activity through C-terminal modification significantly contributes to HSC homeostasis and mouse radiosensitivity." *Genes & Development* 25 (2011): 1426-38.

Diehn, M, et al. "Association of reactive oxygen species levels and radioresistance in cancer stem cells." *Nature* 458 (2009): 780-3.

Ornatsky, O.I., et al. "Messenger RNA detection in leukemia cell lines by novel metal-tagged in situ hybridization using inductively coupled plasma mass spectrometry." *Translational Oncogenomics* (2006).

Cardiovascular Research

Fu, J. et al. "Direct reprogramming of human fibroblasts toward a cardiomyocyte-like state." *Stem Cell Reports* 1 (2013): 235-247.*

Circulating Tumor Cells

Ozkumur, E. et al. "Inertial focusing for tumor antigen– dependent and –independent sorting of rare circulating tumor cells." *Science Translational Medicine* 5 (2013): 179ra47

Powell, A.A. et al. "Single cell profiling of circulating tumor cells: Transcriptional heterogeneity and diversity from breast cancer cell lines." *PLoS ONE* 7 (2012): e33788.

Helzer, K.T. et al. "Circulating tumor cells are transcriptionally similar to the primary tumor in a murine prostate model." *Cancer Research* 69 (2009):7860-6.

Embryonic Stem Cells and Development

Brunskill, E.W., et al. "Single cell dissection of early kidney development: multilineage priming." *Development* (2014): 141(15): 3093-101.*

Behrens, A, et al. "Sox7 is regulated by Etv2 during cardiovascular development." *Stem Cells Dev* (2014): Epub ahead of print.*

Chavez, S.L., et al. "Comparison of epigenetic mediator expression and function in mouse and human embryonic blastomeres." *Hum Mol Genet* (2014): Epub ahead of print.

Ronaghi, M, et al. "Inner ear hair cell-like cells from human embryonic stem cells." *Stem Cells and Development* (2014): 23(11):1275-84.

Jasnos, L, et al. "Determining cell division symmetry through the dissection of dividing cells using single-cell expression analysis." *Nature Protocols* (2014): 9(3):505-16.

Loh, K, et al. "Efficient endoderm induction from human pluripotent stem cells by logically directing signals controlling lineage bifurcations." *Cell Stem Cell* (2014): 14(2):237-52.

Chan, YS, et al. "Induction of a human pluripotent state with distinct regulatory circuitry that resembles preimplantation epiblast." *Cell Stem Cell* (2013).

Burton, A, et al. "Single-Cell profiling of epigenetic modifiers identifies PRDM14 as an inducer of cell fate in the mammalian embryo." *Cell Reports* (2013).

Greggio, C, et al. "Artificial three-dimensional niches deconstruct pancreas development in vitro." *Development* (2013).

Dubois, A, et al. "Spontaneous reactivation of clusters of X-linked genes is associated with the plasticity of X-inactivation in mouse trophoblast stem cells." *Stem Cells* (2013).

Jasnos, L, et al. "Identifying division symmetry of mouse embryonic stem cells: Negative impact of DNA methyltransferases on symmetric self-renewal." *Stem Cell Reports* (2013).

Wu, G, et al. "Establishment of totipotency does not depend on Oct4A." *Nature Cell Biology* (2013).

Biechele, S. et al. "Porcn-dependent Wnt signaling is not required prior to mouse gastrulation." *Development* 140 (2013): 2961-71.

Dong, S. et al. "Multiparameter single-cell profiling of human CD4+FOXP3+ regulatory T-cell populations in homeostatic conditions and during graft-versus-host disease." *Blood* 122 (2013):1802-12.

Faddah, D.A. et al. "Single-cell analysis reveals that expression of nanog is biallelic and equally variable as that of other pluripotency factors in mouse ESCs." *Cell Stem Cell* 13 (2013): 23-29.

Zhang, Y. et al. "Rapid single-step induction of functional neurons from human pluripotent stem cells." *Neuron* 78 (2013): 785-98.

Morgani, S.M. et al. "Totipotent embryonic stem cells arise in groundstate culture conditions." *Cell Rep* 27 (2013):1945–1957.

Vincent, J.J. et al. "Stage-specific roles for Tet1 and Tet2 in DNA demethylation in primordial germ cells." *Cell Stem Cell* 12 (2013): 470-8.

McKinney, M.C. et al. "Evidence for dynamic rearrangements but lack of fate or position restrictions in preigratory avian trunk neural crest." *Development* 140 (2013): 820-30.

Virant-Klun, I. et al. "Isolation of small SSEA-4-positive putative stem cells from the ovarian surface epithelium of adult human ovaries by two different methods." *Biomed Res Int* 2013 (2013): 690415.

Plaks, V., et al. "Lgr5 expressing cells are sufficient and necessary for postnatal mammary gland organogenesis." *Cell Rep* 3 (2013): 70-8.

Tan, M.H. et al. "Oct4-Sall4-Nanog network controls developmental progression in the pre-implantation mouse embryo." *Mol. Syst Biol* 9 (2013): 632

Morrison, J.A. et al. "Gene profiling in the avian embryo using laser capture microdissection and RT-qPCR." *Cold Spring Harb Protoc* 2012 (2012): pdb.prot072140

Surmacz, B. et al. "Directing differentiation of human embryonic stem cells towards anterior neural ectoderm using small molecules." *Stem Cells* 30 (2012): 1875-84.

Spike, B.T. et al. "A mammary stem cell population identified and characterized in late embryogenesis reveals similarities to human breast cancer." *Cell Stem Cell* 10 (2012): 183-97.

Brevik, A. et al. "Preconceptional paternal glycidamide exposure affects embryonic gene expression: Single embryo gene expression study following in vitro fertilization." *Reproductive Toxicology* 32(2011): 463-71.

Vincent, J. et al. "Single cell analysis facilitates staging of Blimp1-dependent primordial germ cells derived from mouse embryonic stem cells." *PLoS ONE* 6 (2011): e28960.

Chu, L-F. et al. "Blimp1 expression predicts embryonic stem cell development in vitro." *Current Biology* 21 (2011): 1759-65.

Yoo, A.S. et al. "MicroRNA-mediated conversion of human fibroblasts to neurons." *Nature* 476 (2011): 228-31.

Panula, S. et al. "Human germ cell differentiation from fetal and adult-derived induced pluripotent stem cells." *Human Molecular Genetics* 15 (2011): 752-62.

McElroy, S.L. et al. "Parthenogenic blastocysts derived from cumulus-free in vitro matured human oocytes." *PLoS ONE* 5 (2010): e10979.

Guo, G. et al. "Resolution of cell fate decisions revealed by single-cell gene expression analysis from zygote to blastocyst." *Developmental Cell* 18 (2010): 675-85.

Yuan, P. et al. "Eset partners with Oct4 to restrict extraembryonic trophoblast lineage potential in embryonic stem cells." *Genes Dev* 23 (2009): 2507-20.

Haston, K.M. et al. "Dazl functions in maintenance of pluripotency and genetic and epigenetic programs of differentiation in mouse primordial germ cells in vivo and in vitro." *PLoS One* 4 (2009): e5654.

Foygel, K. et al. "A novel and critical role for Oct4 as a regulator of the maternal-embryonic transition." *PLoS ONE* 3 (2008): e4109.

Gene Expression Profiling

Dorrell, C., et al. "The organoid-initiating cells in mouse pancreas and liver are phenotypically and functionally similar." *Stem Cell Rep.* (2014): Epub ahead of print.

van Wolfswinkel, J. C., et al. "Single-cell analysis reveals functionally distinct classes within the planarian stem cell compartment." *Cell Stem Cell* (2014): Epub ahead of print.

Kellogg, R., et al. "High-throughput microfluidic single-cell analysis pipeline for studies of signaling dynamics." *Nature Protocols* (2014): (7):1713-26.

Jain, S, et al. "Validating single-cell genomics for the study of renal development." *Kidney International* (2014): Epub ahead of print.

Hough, S.R., et al. "Single-cell gene expression profiles define selfrenewing, pluripotent, and lineage primed states of human pluripotent stem cells." *Stem Cell Reports* (2014): Epub ahead of print.

Devonshire, A, et al. "Validation of high-throughput single cell analysis methodology." *Analytical Biochemistry* (2014): 452:103-13.

Kouno, T, et al. "Temporal dynamics and transcriptional control using single-cell gene expression analysis." *Genome Biology* (2013).

Li, Y. et al. "Single cell gene profiling revealed heterogeneity of paracrine effects of bone marrow cells in mouse infarcted hearts." *PLoS One* 8 (2013): e68270.

Wills, Q.F. et al. "Single-cell gene expression analysis reveals genetic associations masked in whole-tissue experiments." *Nat Biotechnol* 31 (2013): 748-52.

Shalek, A.K. et al. "Single-cell transcriptomics reveals bimodality in expression and splicing in immune cells." *Nature* 498 (2013): 236-40.

Buczacki, S.J. et al. "Intestinal label-retaining cells are secretory precursors expressing Lgr5." *Nature* 495 (2013): 65-9.

McDavid, A. et al. "Data exploration, quality control and testing in single-cell qPCR-based gene expression experiments." *Bioinformatics* 29 (2013): 461-7.

Virant-Klun, I. et al. "Expression of pluripotency and oocyte-related genes in single putative stem cells from human adult ovarian surface epithelium cultured in vitro in the presence of follicular fluid." *Biomed Res Int.* 2013 (2013): 861460.

Livak, K.J. et al. "Methods for qPCR gene expression profiling applied to 1440 lymphoblastoid single cells." *Methods* 59 (2013): 71-9.

Pan, X. et al. "Two methods for full-length RNA sequencing for low quantities of cells and single cells." *Proc Natl Acad Sci* 110 (2013): 594-9.

Dominguez, M.H. et al. "Highly multiplexed quantitation of gene expression on single cells." *Journal of Immunological Methods* 391 (2013): 133-45.

Wang, J. et al. "Genome-wide single-cell analysis of recombination activity and de novo mutation rates in human sperm." *Cell* 150 (2012): 402-12.

Sanchez-Freire, E. et al. "Microfluidic single-cell real-time PCR for comparative analysis of gene expression patterns." *Nature Protocols* 7 (2012): 829-38.

Oyolu, C. et al. "Distinguishing Human Cell Types Based On Housekeeping Gene Signatures." *Stem Cells* 30 (2012): 580-4.

Tay, S. et al. "Single-cell NF- κ B dynamics reveal digital activation and analogue information processing." *Nature* 466 (2010): 267-71.

Fan, C.H. et al. "Whole-genome molecular haplotyping of single cells." *Nature Biotechnology* 29 (2010): 51-7.

Sindelka, R. et al. "Intracellular expression profiles measured by realtime PCR tomography in the *Xenopus laevis* oocyte." *Nucleic Acids Research* 36 (2008): 387-92.

Bengtsson, M. et al. "Gene expression profiling in single cells from the pancreatic islets of Langerhans reveals lognormal distribution of mRNA levels." *Genome Research* 15 (2005): 1388-92.

Vandesompele, J. et al. "Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes." *Genome Biology* 3 (2002): research0034.1–research0034.11.

Livak, K. J. et al. "Analysis of relative gene expression data using realtime quantitative PCR and the 2- $\Delta\Delta$ CT method." *Methods* 25 (2001): 402-8.

Hematopoietic Stem Cells and Progenitors

- Zhang X., et al. "FOXO3-mTOR Metabolic Cooperation in the Regulation of Erythroid Cell Maturation and Homeostasis." *Am J Hematol* (2014): Epub ahead of print.
- Riddell, J, et al. "Reprogramming Committed Murine Blood Cells to Induced Hematopoietic Stem Cells with Defined Factors." *Cell* (2014); 157(3):549-64.
- Suga, H, et al. "Tracking the Elusive Fibrocyte: Identification and Characterization of Collagen-Producing Hematopoietic Lineage Cells During Murine Wound Healing." *Stem Cells* (2014); 32(5):1347-60.
- Shao, L., et al. "Total body irradiation causes long-term mouse BM injury via induction of HSC premature senescence in an Ink4a- and Arf-independent manner." *Blood* (2014); 123(20):3105-15.
- Qiu, J, et al. "Divisional History and Hematopoietic Stem Cell Function during Homeostasis." *Stem Cell Reports* (2014); 2(4):473-90.
- Grover, A, et al. "Erythropoietin guides multipotent hematopoietic progenitor cells toward an erythroid fate." *Journal of Experimental Medicine* (2014); 211(2):181-8.*
- Mallaney, C, et al. "Clonal-Level Responses of Functionally Distinct Hematopoietic Stem Cells to Trophic Factors." *Experimental Hematology* (2013).
- Swiers, G, et al. "Early dynamic fate changes in haemogenic endothelium characterized at the single-cell level." *Nature Communications* (2013).
- Böiers, C, et al. "Lymphomyeloid Contribution of an Immune-Restricted Progenitor Emerging Prior to Definitive Hematopoietic Stem Cells." *Cell Stem Cell* (2013).
- Guo, G, et al. "Mapping cellular hierarchy by single-cell analysis of the cell surface repertoire." *Cell Stem Cell* S1934-5909 (2013); 00362-7.
- Sanjuan-Pla, A, et al. "Platelet-biased stem cells reside at the apex of the hematopoietic stem-cell hierarchy." *Nature* (2013): Epub ahead of print.
- Kerenyi, M.A. et al. "Histone demethylase Lsd1 represses hematopoietic stem and progenitor cell signatures during blood cell maturation." *Elife* 2 (2013): e00633.
- Mead, AJ, et al. "FLT3-ITDs Instruct a Myeloid Differentiation and Transformation Bias in Lymphomyeloid Multipotent Progenitors." *Cell* (2013).
- Mossadegh-Keller, N. et al. "M-CSF instructs myeloid lineage fate in single haematopoietic stem cells." *Nature* 497 (2013); 239-43.
- Moignard, V. et al. "Characterization of transcriptional networks in blood stem and progenitor cells using high-throughput single-cell gene expression analysis." *Nat Cell Biol* 15 (2013); 363–372.
- Hoggatt, J. et al. "Differential stem- and progenitor-cell trafficking by prostaglandin E2." *Nature* 495 (2013); 365-9.
- Shin, J.W. et al. "Establishment of single-cell screening system for the rapid identification of transcriptional modulators involved in direct cell reprogramming." *Nucleic Acids Research* 40 (2012); e165.
- Pina, C. et al. "Inferring rules of lineage commitment in haematopoiesis." *Nature Cell Biology* 14 (2012); 287-94.
- Levi, B. et al. "CD105 protein depletion enhances human adiposederived stromal cell osteogenesis through reduction of transforming growth factor B1 (TGF-B1) signaling." *The Journal of Biological Chemistry* 286 (2011); 39497-509.
- Buza-Vidas, N. et al. "FLT3 expression initiates in fully multipotent mouse hematopoietic progenitor cells." *BLOOD* 118 (2011); 1544-8.
- Buza-Vidas, N. et al. "GATA3 is redundant for maintenance and self-renewal of hematopoietic stem cells." *BLOOD* 118 (2011); 1291-3.
- Kikushige, Y. et al. "Self-renewing hematopoietic stem cell is the primary target in pathogenesis of human chronic lymphocytic leukemia." *Cancer Cell* 20 (2011); 246-59.

Kharazi, S. et al. "Impact of gene dosage, loss of wild-type allele, and FLT3 ligand on FLT3-ITD-induced myeloproliferation." *BLOOD* 118 (2011): 3613-21.

Aguilo, F. et al. "Prdm16 is a physiologic regulator of hematopoietic stem cells." *BLOOD* 117 (2011): 5057-66.

Petriv, O.I. et al. "Comprehensive microRNA expression profiling of the hematopoietic hierarchy." *PNAS* 107 (2010): 15443-8.

Hosokawa, K. et al. "Knockdown of N-cadherin suppresses the long-term engraftment of hematopoietic stem cells." *BLOOD* 116 (2010): 554-63.

Iwasaki, H. et al. "Endothelial protein C receptor-expressing hematopoietic stem cells reside in the perisinusoidal niche in fetal liver." *BLOOD* 116 (2010): 544-53.

Hosokawa, K. et al. "Cadherin-based adhesion is a potential target for niche manipulation to protect hematopoietic stem cells in adult bone marrow." *Cell Stem Cell* 6 (2010): 194-8.

Nakamura, Y. et al. "Isolation and characterization of endosteal niche cell populations that regulate hematopoietic stem cells." *BLOOD* 116 (2010): 1422-32.

Sato, T. et al. "Interferon regulatory factor-2 protects quiescent hematopoietic stem cells from type I interferon-dependent exhaustion." *Nature Medicine* 15 (2009): 696-700.

Warren, L. et al. "Transcription factor profiling in individual hematopoietic progenitors by digital RT-PCR." *PNAS* 103 (2006): 17807-12.

Immunity/Infectious Disease

Choi J., et al. "Microdevices for examining immunological responses of single cells to HIV." *Biosci Rep.* (2014): Epub ahead of print.

Kippner, L., et al. "Single cell transcriptional analysis reveals novel innate immune cell types." *PeerJ* (2014): Epub.

Shalek A.K., et al. "Single-Cell RNA-seq reveals dynamic paracrine control of cellular variation." *Nature* (2014): 509(7505):363-9.*

Wang, Y, et al. "Adjuvant-specific regulation of long-term antibody responses by ZBTB20." *J Exp Med* (2014): 211(5):841-56.

Mahata, B, et al. "Single-Cell RNA Sequencing Reveals T Helper Cells Synthesizing Steroids De Novo to Contribute to Immune Homeostasis." *Cell Reports* (2014): 7(4):1130-42.*

Arsenio, J, et al. "Early specification of CD8+ T lymphocyte fates during adaptive immunity revealed by single-cell gene-expression analyses." *Nat Immunol* (2014): 15(4):365-72.

Wolchinsky, R., et al. "Antigen-Dependent Integration of Opposing Proximal TCR-Signaling Cascades Determines the Functional Fate of T Lymphocytes." *J Immunol* (2014): 192(5):2109-19.

Sawada, H, et al. "Reduced BMP2 expression induces GM-CSF translation and macrophage recruitment in humans and mice to exacerbate pulmonary hypertension." *Journal of Experimental Medicine* (2014): 211(2):263-80.

Horowitz, A., et al. "Genetic and environmental determinants of human NK cell diversity revealed by mass cytometry." *Sci Transl Med* (2013).*

Finak, G. et al. "Mixture models for single-cell assays with applications to vaccine studies." *Biostat* (2013).

Han, A., et al. "Dietary gluten triggers concomitant activation of CD4+ and CD8+ alpha beta T cells and gamma delta T cells in celiac disease." *Proc Natl Acad Sci* (2013).

Newell, E.W., et al. "Combinatorial tetramer staining and mass cytometry analysis facilitate T-cell epitope mapping and characterization." *Nat Biotechnol* (2013).*

Weinstein, J.A. et al. "Correlation of gene expression and genome mutation in single B-cells." *PLoS One* 8 (2013): e67624.

Mingueneau, M., et al. "The transcriptional landscape of alpha beta T cell differentiation." *Nat Immunol* (2013).

Mahévas, M. et al. "B cell depletion in immune thrombocytopenia reveals splenic long-lived plasma cells." *J Clin Invest* 123 (2013): 432-42.

Sen, A. et al. "Innate immune response to homologous rotavirus infection in the small intestinal villous epithelium at single-cell resolution." *PNAS* 109 (2012): 20667-72.

Chen, G., et al. "Analyzing the phenotypic and functional complexity of lymphocytes using CyTOF (cytometry by time-of-flight)." *Cell Mol Immunol* (2012).*

Wang, L., et al. "Human CD4(+) lymphocytes for antigen quantification: Characterization using conventional flow cytometry and mass cytometry." *Cytometry* (2012).*

Luc, S. et al. "The earliest thymic T cell progenitors sustain B cell and myeloid lineage potential." *Nature Immunology* 13 (2012): 412-9.

Newell, E.W., et al. "Cytometry by time-of-flight shows combinatorial cytokine expression and virus-specific cell niches within a continuum of CD8+ T cell phenotypes." *Immunity* (2012).*

Flatz, L. et al. "Single-cell gene-expression profiling reveals qualitatively distinct CD8 T cells elicited by different gene-based vaccines." *PNAS* 108 (2011): 5724-9.

Bendall, S.C., et al. "Single-cell mass cytometry of differential immune and drug responses across a human hematopoietic continuum." *Science* (2011).*

Raj, A. et al. "Stochastic mRNA synthesis in mammalian cells." *PLoS Biology* 4 (2006): e309.

Induced Pluripotent Stem Cells (iPS)

Chanda, S., et al. "Generation of Induced Neuronal Cells by the Single Reprogramming Factor ASCL1." *Stem Cell Reports* (2014): Epub ahead of print.

BurrIDGE, P.W., et al. "Chemically defined generation of human cardiomyocytes." *Nat Methods* (2014): Epub ahead of print.

Rennert, R.C., et al. "Diabetes impairs the angiogenic potential of adipose derived stem cells by selectively depleting cellular subpopulations." *Stem Cell Res Ther* (2014): Epub ahead of print.

O'Malley, J. et al. "High-resolution analysis with novel cell surface markers identifies routes to iPS cells." *Nature* 499 (2013): 88-91.

Tanabe, K. et al. "Maturation, not initiation, is the major roadblock during reprogramming toward pluripotency from human fibroblasts." *PNAS* 110 (2013): 12157-12158.

Buganim, Y. et al. "Single-cell expression analyses during cellular reprogramming reveal an early stochastic and a late hierarchic phase." *Cell* 150 (2012): 1209-22.

Citri, A. et al. "Comprehensive qPCR profiling of gene expression in single neuronal cells." *Nat Protoc* 7 (2011): 118-27.

Virant-Klun, I. et al. "Ovarian surface epithelium in patients with severe ovarian infertility: a potential source of cells expressing markers of pluripotent/multipotent stem cells." *Journal of Biomedicine and Biotechnology* 2011 (2011): 381928.

Narsinh, K.H. et al. "Single cell transcriptional profiling reveals heterogeneity of human induced pluripotent stem cells." *Journal of Clinical Investigation* 121 (2011): 1217-21.

Byrne, J.A. et al. "Enhanced Generation of Induced Pluripotent Stem Cells from a Subpopulation of Human Fibroblasts." *PLoS One* 4 (2009): e7118.

MASS CYTOMETRY

Giesen, C., et al. "Highly multiplexed imaging of tumor tissues with subcellular resolution by mass cytometry." *Nature Methods* (2014): (4):417-22.*

Leipold, M.D., et al. "Mass cytometry: protocol for daily tuning and running cell samples on a CyTOF mass cytometer." *J Vis Exp* (2012): (69):e4398.*

Bodenmiller, B., et al. "Multiplexed mass cytometry profiling of cellular states perturbed by small-molecule regulators." *Nat Biotechnol* (2012): (9):858-67.*

Fienberg, H.G., et al. "A platinum-based covalent viability reagent for single-cell mass cytometry." *Cytometry* (2012): 81(6):467-75.*

Tanner, S.D., et al. "Flow cytometer with mass spectrometer detection for massively multiplexed single-cell biomarker assay." *Pure Appl Chem* (2008): 30(9):1329-30.*

Quinn, Z.A., et al. "Simultaneous determination of proteins using an element-tagged immunoassay coupled with ICP-MS detection." *J Anal At Spectrom* (2002): 11(4):417-22.*

Baranov, V.I., et al. "A sensitive and quantitative element-tagged immunoassay with ICPMS detection." *Anal Chem* (2002): 192(5):2109-19.*

Neural Research

Beltrán E., et al. "Intrathecal somatic hypermutation of IgM in multiple sclerosis and neuroinflammation." *Brain* (2014): Epub ahead of print.

Honsa, P., et al. "Increased expression of hyperpolarization-activated cyclic nucleotide-gated (HCN) channels in reactive astrocytes following ischemia." *Glia* (2014): Epub ahead of print.

Rothwell, PE, et al. "Autism-associated neuroligin-3 mutations commonly impair striatal circuits to boost repetitive behaviors." *Cell* (2014): 158(1):198-212.

Toyoda, S, et al. "Developmental epigenetic modification regulates stochastic expression of clustered protocadherin genes, generating single neuron diversity." *Neuron* (2014): A 81 (6): 467-475.

Park, J, et al. "Inputs drive phenotype variability." *Genome Research* (2014): 9 (4): 322-323.

Shi, S, et al. "MicroRNA-9 and microRNA-326 regulate human dopamine D2 receptor expression and the microRNA-mediated expression regulation is altered by a genetic variant." *Journal of Biological Chemistry* (2014): 28 (35): 12861-12870.

Bacaj, T, et al. "Synaptotagmin-1 and Synaptotagmin-7 trigger synchronous and asynchronous phases of neurotransmitter release." *Neuron* (2013): (7): 552-566.

Shcheglovitov, A, et al. "SHANK3 and IGF1 restore synaptic deficits in neurons from 22q13 deletion syndrome patients." *Nature* (2013): 30 (9): 858-867.

Rusnakova, V, et al. "Heterogeneity of astrocytes: From development to injury—single cell gene expression." *PLoS One* 8 (2013): e69734.

Haditsch, U, et al. "Neuronal Rac1 is required for learning- evoked neurogenesis." *J Neurosci* 33 (2013): 12229-41.

Gomez-Ospina, N, et al. "A promoter in the coding region of the calcium channel gene CACNA1C generates the transcription factor CCAT." *PLoS One* 8 (2013): e60526.

Ramasamy, S, et al. "Neural stem cell survival factors." *Arch of Biochem and Biophys* 534 (2013): 71-87.

Narayanan, G, et al. "Single-cell mRNA profiling identifies progenitor subclasses in neurospheres." *Stem Cells Dev* 21 (2012): 3351-62.

Marro, S, et al. "Direct lineage conversion of terminally differentiated hepatocytes to functional neurons." *Cell Stem Cell* 9 (2011): 374-82.

Vadigepalli, R, et al. "Adaptive transcriptional dynamics of A2 neurons and central cardiovascular control pathways." *Exp Physiol* 97 (2011): 462-8.

Pang, Z. P, et al. "Induction of human neuronal cells by defined transcription factors." *Nature* 476 (2011): 220-3.

New Methods

O'Neill, K., et al. "Enhanced flowType/RchyOptimyx: a Bioconductor pipeline for discovery in high-dimensional cytometry data." *Bioinformatics* (2014): 110 19-56.*

Shekhar, K., Brodin, P., et al. "Automatic Classification of Cellular Expression by Nonlinear Stochastic Embedding (ACCENSE)." *Proc Natl Acad Sci* (2014): A 81 (7): 567-575.*

Amir el, A.D., et al. "viSNE enables visualization of high dimensional single-cell data and reveals phenotypic heterogeneity of leukemia." *Nat Biotechnol* (2013): 44 (12): 4801-4813.*

Finck, R., et al. "Normalization of mass cytometry data with bead standards." *Cytometry* (2013): 332 (6030): 687-696.*

Majonis, D., et al. "Dual-Purpose Polymer Labels for Fluorescent and Mass Cytometric Affinity Bioassays." *Biomacromolecules* (2013): 408 (1): 157-159.*

Jin, L. et al. "Colony-forming cells in the adult mouse pancreas are expandable in Matrigel and form endocrine/acinar colonies in laminin hydrogel." *PNAS* 110 (2013): 3907-12.*

Aghaeepour, N., et al. "RchyOptimyx: cellular hierarchy optimization for flow cytometry." *Cytometry* (2012): 419 (1): 1-8.*

Behbehani, G.K., et al. "Single-cell mass cytometry adapted to measurements of the cell cycle." *Cytometry* (2012): ePUB.*

Poultney, C.S., et al. "Integrated inference and analysis of regulatory networks from multi-level measurements." *Biomacromolecules* (2012): 131 (42): 15276-15283.*

Leipold, M.D., et al. "Development of mass cytometry methods for bacterial discrimination." *Anal Biochem* (2011): 20 (24): 5141-5150.*

Majonis, D., et al. "Curious results with palladium- and platinum-carrying polymers in mass cytometry bioassays and an unexpected application as a dead cell stain." *Biomacromolecules* (2011): 82(21):8961-9.*

White, A.K., et al. "High-throughput microfluidic single-cell RT qPCR." *Proc Natl Acad Sci* (2011): 13 (5): 1296-1306.*

Lin, W., et al. "Synthesis and mass cytometric analysis of lanthanide-encoded polyelectrolyte microgels." *Macromolecules* (2011): 8 (2): 443-449.*

Devonshire, AS, et al. "Applicability of RNA standards for evaluating RT-qPCR assays and platforms." *BMC Genomics* (2011): (53): 998- 1004.*

Yin, H. and Marshall, D. "Microfluidics for single cell analysis." *Curr Opin Biotech* 23 (2011): 110-9.*

Lathia, U.S., et al. "Multiplexed protease assays using element-tagged substrates." *Anal Biochem* (2011): 81 (16): 6813-6822.*

Majonis, D., et al. "Synthesis of a functional metal-chelating polymer and steps toward quantitative mass cytometry bioassays." *Anal Chem* (2010): 62 (3): 188-195.

Abdelrahman, A.I., et al. "Metal-Containing Polystyrene Beads as Standards for Mass Cytometry." *J Anal At Spectrom* (2010): 80 (7): 2539-2547.*

Lathia, U.S., et al. "Development of inductively coupled plasma-mass spectrometry-based protease assays." *Anal Biochem* (2010): 336 (1): 56-63.*

Abdelrahman, A.I., et al. AND ERRATUM. *J Am Chem Soc* (2010): (1): 1-9.*

Abdelrahman, A.I., et al. "Lanthanide-containing polymer microspheres by multiple-stage dispersion polymerization for highly multiplexed bioassays." *J Am Chem Soc* (2009): 23 (4): 463-469.*

Bandura, D.R., et al. "Mass cytometry: technique for real time single cell multitarget immunoassay based on inductively coupled plasma time-of-flight mass spectrometry." *Anal Chem* (2009): 287 (3): 269- 275.*

Razumienko, E., et al. "Element-tagged immunoassay with ICP-MS detection: evaluation and comparison to conventional immunoassays." *J Immunol Methods* (2008): 9(7):1713-26.*

Ornatsky, O.I., et al. "Study of cell antigens and intracellular DNA by identification of element-containing labels and metallointercalators using inductively coupled plasma mass spectrometry." *Anal Chem* (2008): 25 (3): 269-281.*

Ornatsky, O.I., et al. "Development of analytical methods for multiplex bio-assay with inductively coupled plasma mass spectrometry." *J Anal At Spectrom* (2008): 129 (44): 13653-13660.*

Vancaeyzeele, C., et al. "Lanthanide-containing polymer nanoparticles for biological tagging applications: nonspecific endocytosis and cell adhesion." *J Am Chem Soc* (2007): ePub.*

Tanner, S.D., et al. "Multiplex bio-assay with inductively coupled plasma mass spectrometry: Towards a massively multivariate single-cell technology." *Spectrochim Acta Part B At Spectrosc* (2007): ePub.*

Chubb, J. R. et al. "Transcriptional pulsing of a developmental gene." *Current Biology* (2006): 13 (8): 2359-2369*

RNA SEQ

Pollen, AA., et al. "Low-coverage single-cell mRNA sequencing reveals cellular heterogeneity and activated signaling pathways in developing cerebral cortex." *Nat Biotechnol* (2014): Epub ahead of print.*

Saliba A.E., et al. "Single-cell RNA-seq: advances and future challenges." *Nucleic Acids Res* (2014): Epub ahead of print.*

Treutlein, B, et al. "Reconstructing lineage hierarchies of the distal lung epithelium using single-cell RNA-seq." *Nature* (2014): 2(6):881- 95.*

Islam, S, et al. "Quantitative single-cell RNA-seq with unique molecular identifiers." *Nature Methods* (2013): ePub.

Wu, AR, et al. "Quantitative assessment of single-cell RNA-sequencing methods." *Nature Methods* (2013): 509(7505):363-9.*

Brennecke, P., et al. "Accounting for technical noise in single-cell RNA-Seq experiments." *Nature Methods* (2013): ePub.*

Corporate headquarters

7000 Shoreline Court, Suite 100
South San Francisco, CA 94080 USA
Toll-free: 866 359 4354 | Fax: 650 871 7152
fluidigm.com

Sales

North America | +1 650 266 6170 | info-us@fluidigm.com
Europe/EMEA | +33 (0)1 60 92 42 40 | info-europe@fluidigm.com
Japan | +81 (0)3 3662 2150 | info-japan@fluidigm.com
China (excluding Hong Kong) | +86 (0)21 3255 8368 | info-china@fluidigm.com
Asia | +1 650 266 6000 | info-asia@fluidigm.com
Latin America | +1 650 266 6000 | info-latinamerica@fluidigm.com

© 2014 Fluidigm Corporation. All rights reserved. Fluidigm, the Fluidigm logo, Biomark, CyTOF and C1 are trademarks or registered trademarks of Fluidigm Corporation in the United States and/or other countries.

For Research Use Only. Not for use in diagnostic procedures. PN 100-5765 B1