

Product Identifier: Cell-ID[™] Intercalator-Ir Catalog ID number: 201192A, 201192B, 201079

(Includes Panel Kits within the following range of Catalog numbers: 201302 - 2013XX)

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Contact information

General Fluidigm Corporation

7000 Shoreline Court Suite 100, South San Francisco, CA 94080

Main (U.S.): +1 (650) 266-6000 E-mail: techsupport@fluidigm.com

Emergency telephone

number

+ (650) 266-6100 (outside US) + (866) 358-4354 (toll free)

Product identifier Cell-ID[™] Intercalator-Ir

Synonyms None identified

Trade names None identified

Chemical family Mixture - contains Iridium (III) Complex

Relevant identified uses of the substance or mixture and

uses advised against

For research use only. Not for use in diagnostic procedures.

Note This SDS is written to address potential health and safety issues associated with the

handling of the formulated product.

SECTION 2 - HAZARDS IDENTIFICATION

Classification of the substance or mixture

> Globally Harmonized System [GHS]

Not classified.

AU Hazard Classification

(NOHSC)

Hazardous Substance. Non-hazardous goods.

Label elements

GHS hazard pictogram

GHS signal word

GHS hazard statements

GHS precautionary

Statements

None required

None required

Other hazards

May cause eye/skin irritation. Mixture not yet fully tested.

NoteNo component of this product present at level greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by OSHA; ACGIH; NTP or IARC.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Cell-IDTM Intercalator-Ir



Product Identifier: Cell-ID™ Intercalator-Ir Catalog ID number: 201192A, 201192B, 201079

(Includes Panel Kits within the following range of Catalog numbers: 201302 - 2013XX)

Note This product is composed of Iridium (III) complex in water. According to 29 CFR

191031200(d), hazardous ingredients at less than <1% and carcinogens at less than <0.1% are considered non-hazardous. The concentration of Iridium in this product is below the

regulatory threshold limit.

SECTION 4 - FIRST AID MEASURES

Description of first aid measures

> **Immediate Medical Attention Needed**

No

If easy to do, remove contact lenses, if worn. Immediately flush eyes with copious quantities **Eye Contact**

of water for at least 15 minutes. If irritation occurs or persists, notify medical personnel and

supervisor.

Skin Contact Wash exposed area with soap and water and remove contaminated clothing/shoes. If

irritation occurs or persists, notify medical personnel and supervisor.

Immediately move exposed subject to fresh air. If not breathing, give artificial respiration. If Inhalation

breathing is labored, administer oxygen. Immediately notify medical personnel and

supervisor.

Do not induce vomiting unless directed by medical personnel. Do not give anything to drink **Ingestion**

unless directed by medical personnel. Never give anything by mouth to an unconscious

person. Notify medical personnel and supervisor.

Protection of first aid

responders

See Section 8 for Exposure Controls/Personal Protection recommendations.

Most important symptoms and effects, both acute and

delayed

See Sections 2 and 11.

Indication of immediate medical attention and special symptomatically and supportively.

treatment needed, if

necessary

Medical conditions aggravated by exposure: None known or reported. Treat

SECTION 5 - FIREFIGHTING MEASURES

Extinguishing media Use water spray (fog), foam, dry powder, or carbon dioxide, as appropriate for surrounding

fire and materials.

the substance or mixture

Specific hazards arising from No information identified. May emit carbon monoxide, carbon dioxide, nitrogen-, chloride-,

and metal-containing compounds.

Flammability/Explosivity Not expected to be flammable or explosive.

Advice for firefighters Wear full protective clothing and a self-contained breathing apparatus with a full facepiece

operated in the pressure demand or other positive pressure mode. Decontaminate all

equipment after use.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

If product is released or spilled, take proper precautions to minimize exposure by using appropriate personal protective equipment (see Section 8). Area should be adequately ventilated. Do not breathe mist/vapors/spray.

Environmental precautions Do not empty into drains. Avoid release to the environment.

Cell-IDTM Intercalator-Ir



Product Identifier: Cell-ID™ Intercalator-Ir Catalog ID number: 201192A, 201192B, 201079

(Includes Panel Kits within the following range of Catalog numbers: 201302 - 2013XX)

Methods and material for containment and cleaning up

Dike area to contain spill. Maintain ventilation until all vapors have been eliminated. Take precautions as necessary to prevent contamination of ground and surface waters. If vials are crushed or broken, DO NOT CAUSE MATERIAL TO BECOME AIRBORNE. For small spills, soak up material with absorbent, e.g., paper towels. For large spills, cordon off spill area and minimize the spreading of spilled material. Soak up material with absorbent. Collect spilled material, absorbent, and rinse water into suitable containers for proper disposal in accordance with applicable waste disposal regulations (see Section 13). Decontaminate the area twice.

Reference to other sections

See Sections 8 and 13 for more information.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling Follow recommendations for handling pharmaceutical agents (i.e., use of engineering controls and/or other personal protective equipment if needed). Avoid breathing vapor or mist. Do not permit eating/drinking/smoking near this material. All materials used for transferring or preparing this product must be considered contaminated and disposed of properly.

Conditions for safe storage including any

incompatibilities

Specific end use(s)

Keep from contact with clothing and other combustible materials. Store at -20 °C in tightly closed container. Avoid strong oxidizers. Store in sealed containers that are appropriately labeled. Do not store in metal or glass containers. Do not store in direct sunlight. Do not store near organic substances.

No information identified.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Note Dispose of broken vials/syringes in a sharps container.

Control Parameters/Occupational **Exposure Limit Values**

> **OEL** Compound Issuer Type Iridium (III) Complex

Exposure/Engineering controls

Maintain adequate ventilation, eye wash and quick-drench facilities in work area.

Respiratory protection

Choice of respiratory protection should be appropriate to the task and the level of existing engineering controls. For routine handling tasks, an approved and properly fitted air-purifying respirator with appropriate HEPA filters should provide ancillary protection based on the known or foreseeable limitations of existing engineering controls. Use a powered air-purifying respirator equipped with appropriate HEPA filters or combination filters or a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, when exposure levels are not known, or in any other circumstances where a lower level of respiratory protection may not provide adequate protection.

Hand protection

Wear nitrile or other impervious gloves if skin contact is possible. When the material is dissolved or suspended in an organic solvent, wear gloves that provide protection against the solvent.

Skin protection

Wear appropriate gloves, lab coat, or other protective overgarment if skin contact is likely. Base the choice of skin protection on the job activity, potential for skin contact and solvents and reagents in use.

Eye/face protection

Wear safety glasses with side shields, chemical splash goggles, or full face shield, if necessary. Base the choice of protection on the job activity and potential for contact with eyes or face. An emergency eye wash station should be available.

Cell-IDTM Intercalator-Ir



Product Identifier: Cell-ID™ Intercalator-Ir Catalog ID number: 201192A, 201192B, 201079

(Includes Panel Kits within the following range of Catalog numbers: 201302 - 2013XX)

Environmental Exposure

Controls

Avoid release to the environment and operate within closed systems wherever practicable. Air and liquid emissions should be directed to appropriate pollution control devices. In case of spill, do not release to drains. Implement appropriate and effective emergency response procedures to prevent release or spread of contamination and to prevent inadvertent contact by personnel.

Other protective measures Wash hands in the event of contact with this product/mixture, especially before eating, drinking or smoking. Protective equipment is not to be worn outside the work area (e.g., in common areas or out-of-doors).

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Clear liquid Color Colorless

Odor No information identified. Odor threshold No information identified. pН No information identified.

Melting point/freezing

point

No information identified.

Initial boiling point and

boiling range

No information identified.

Flash point No information identified. **Evaporation rate** No information identified.

Flammability (solid, gas) Not applicable.

Upper/lower flammability No information identified.

or explosive limits

No information identified Vapor pressure No information identified. Vapor density No information identified. Relative density Water solubility Fully soluble in water. Solvent solubility No information identified.

Partition coefficient (n-octanol/water)

No information identified.

Auto-ignition temperature No information identified.

Decomposition temperature

No information identified.

No information identified. **Viscosity Explosive properties** No information identified. No information identified. Oxidizing properties

Other information

Molecular weight Not applicable (Mixture)

Cell-IDTM Intercalator-Ir



Product Identifier: Cell-ID[™] Intercalator-Ir Catalog ID number: 201192A, 201192B, 201079

(Includes Panel Kits within the following range of Catalog numbers: 201302 - 2013XX)

Molecular formula Not applicable (Mixture)

SECTION 10 - STABILITY AND REACTIVITY

Reactivity No data available.

Chemical stability Stable under normal handling and storage conditions.

Possibility of hazardous

reactions

No data available.

Conditions to avoid Strong oxidizing agents, acids, bases, alkali metal salts, copper, zinc salts, cyanides.

Incompatible materials Strong oxidizers.

Hazardous decomposition

products

May form carbon dioxide and carbon monoxide, metal oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity No data available.

Irritation/Corrosion No studies identified.

Sensitization No studies identified.

STOT-single exposure No studies identified.

STOT-repeated

exposure/Repeat-dose

toxicity

No studies identified.

Reproductive toxicity No studies identified. **Developmental toxicity** No studies identified.

Genotoxicity
No studies identified.
Carcinogenicity
No studies identified.
Aspiration hazard
No data available.

Human health data See Section 2 - "Other hazards"

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity

<u>Compound</u> <u>Type</u> <u>Species</u> <u>Concentration</u>

Iridium (III) Complex -- --

Persistence and Degradability No data identified.

Bioaccumulative potential No data identified.

Mobility in soil No data identified.

Results of PBT and vPvB

assessment

Not performed.

Other adverse effects No data identified.

Cell-IDTM Intercalator-Ir



Product Identifier: Cell-ID™ Intercalator-Ir Catalog ID number: 201192A, 201192B, 201079

(Includes Panel Kits within the following range of Catalog numbers: 201302 - 2013XX)

The environmental characteristics of this product/mixture have not been fully investigated. Note

Releases to the environment should be avoided.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of wastes in accordance to prescribed federal, state, and local guidelines, e.g., appropriately permitted chemical waste incinerator. Do not send down the drain or flush down the toilet. All wastes containing the material should be properly labeled. Rinse waters resulting from spill cleanups should be discharged in an environmentally safe manner, e.g., appropriately permitted municipal or on- site wastewater treatment facility.

SECTION 14 - TRANSPORT INFORMATION

Transport Based on the available data, this product/mixture is not regulated as a hazardous

material/dangerous good under EU ADR/RID, US DOT, Canada TDG, IATA, or IMDG.

UN number None assigned.

UN proper shipping name None assigned.

Transport hazard classes and None assigned

packing group

Environmental hazards

Based on the available data, this product/mixture is not regulated as an environmental

hazard or a marine pollutant.

Special precautions for users Avoid release to the environment.

Transport in bulk according to Not applicable.

Annex II of MARPOL73/78

and the IBC Code

Hazardchem Code/HIN None assigned.

SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or This SDS complies with the requirements under US, EU and GHS (EU CLP - Regulation EC No 1272/2008) guidelines. Consult your local/regional authorities for more information.

Chemical safety assessment

Not conducted.

WHMIS classification

Not classified.

TSCA status

mixture

United States inventory (TSCA 8b): This material is listed or exempted.

SARA section 313

Not listed.

California proposition 65

Not listed.

Component Analysis -**Chemical Inventory**

Iridium (III) complex is listed or exempted in the chemical inventory of the following

countries:

Australia, Canada, and Republic of Korea.

Iridium (III) complex is not determined in the chemical inventory of the following countries:

China, Japan, Malaysia, New Zealand, Philippines, and Taiwan.

Additional information No other information identified.

Cell-IDTM Intercalator-Ir

Revision date: 29 July 2015, Version: 8.0.0

Page 6 of 7



Product Identifier: Cell-ID[™] Intercalator-Ir Catalog ID number: 201192A, 201192B, 201079

(Includes Panel Kits within the following range of Catalog numbers: 201302 - 2013XX)

SECTION 16 - OTHER INFORMATION

NFPA Ratings Iridium (III) Health: -- Fire: -- Reactivity: --

Complex

Sources of data Information from published literature and internal company data.

Abbreviations ACGIH - American Conference of Governmental Industrial Hygienists; ADR/RID - European

Agreement Concerning the International Carriage of Dangerous Goods by Road/Rail; AIHA -American Industrial Hygiene Association; CA – California; CAS# - Chemical Abstract Services Number; CLP - Classification, Labelling, and Packaging of Substances and Mixtures; DNEL - Derived No Effect Level; DOT - Department of Transportation; EINECS - European Inventory of New and Existing Chemical Substances; ELINCS - European List of Notified Chemical Substances; EU - European Union; GHS - Globally Harmonized System of Classification and Labeling of Chemicals; HI - Hawaii; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; LOEL - Lowest Observed Effect Level; LOAEL - Lowest Observed Adverse Effect Level; MA - Massachusetts; NIOSH - The National Institute for Occupational Safety and Health; NJ - New Jersey; NOEL - No Observed Effect Level; NOAEL - No Observed Adverse Effect Level; NTP - National Toxicology Program; OEL - Occupational Exposure Limit; OSHA - Occupational Safety and Health Administration; PA - Pennsylvania; PNEC - Predicted No Effect Concentration; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time

Weighted Average; US – United States; WHMIS - Workplace Hazardous Materials

Information System

Issue Date 29 July 2015

Revisions This is the first version of this SDS.

DisclaimerThe statements contained herein are offered for informational purposes only and are based upon technical data. Fluidium Corporation believes them to be accurate at the date of

publication, but does not purport to be all-inclusive. The above-stated product is intended for use only by persons having the necessary technical skills and facilities for handling the product at their discretion and risk. Since conditions and manner of use are outside our control, we (Fluidigm Corporation) make no warranty of merchantability or any such warranty, express or implied with respect to information and we assume no liability resulting from the above product or its use. Users should perform their own investigations to

determine suitability of information and product for their particular purposes.

Cell-IDTM Intercalator-Ir

Revision date: 29 July 2015, Version: 8.0.0 Page 7 of 7