

Anti-Phospho-Stat1-153Eu

Catalog: 3153005A

Clone: 4a

Package Size: 50 tests

Isotype: Mouse IgG2a

Storage: Store product at 4°C. Do not freeze.


Formulation: Antibody stabilizer with 0.05% Sodium Azide

Reactivity: Mouse, Human,

Technical Information

Validation: Each lot of conjugated antibody is quality control tested by CyTOF[®] analysis of stained cells using the appropriate positive and negative cell staining and/or activation controls.

Recommended Usage: The suggested use is 1 µl for up to 3 X 10⁶ live cells in 100 µl. It is recommended that the antibody be titrated for optimal performance for each of the desired applications.



Human Jurkat T cells were incubated for 15 minutes in media alone (bottom) or with pervanadate (top). Cells were then fixed, permeabilized, and stained with 153Eu-anti-pSTAT1 [pY701] (4a).

Description

STAT1 is a transcription factor involved in the response to multiple cytokines including IFN α , IFN γ , IL-6, LIF, EGF, PDGF, and others. Cytokine receptor engagement allows recruitment of STAT1 to members of the JAK family, which activate it by phosphorylation at Tyr701. Activated STAT1 can form homodimers or heterodimers with other STAT proteins, translocate to the nucleus, and bind DNA to facilitate gene transcription. A second phosphorylation event at Ser727 of STAT1 by the MAPK pathway may be required for maximal transcriptional activity.

References

Bandura, D. R., et al. Mass Cytometry: Technique for Real Time Single Cell Multitarget Immunoassay Based on Inductively Coupled Plasma Time-of-Flight Mass Spectrometry. *Analytical Chemistry* 81:6813-6822, 2009.

Ornatsky, O. I., et al. **Highly Multiparametric Analysis by Mass Cytometry.** *J Immunol Methods* 361 (1-2):1-20, 2010.

For technical support visit fluidigm.com/support

North America +1 650 266 6100 | Toll-free: +1 866 358 4354 in the US | support.northamerica@fluidigm.com **Europe** +33 1 60 92 42 40 | support.europe@fluidigm.com

China (excluding Hong Kong) +86 21 3255 8368 | techsupportchina@fluidigm.com **Japan** +81 3 3662 2150 | techsupportjapan@fluidigm.com

All other Asian countries +1 650 266 6100 | techsupportasia@fluidigm.com **Central and South America** +1 650 266 6100 | techsupportlatam@fluidigm.com

For Research Use Only. Not for use in diagnostic procedures.

Information in this publication is subject to change without notice. **Safety data sheet information** fluidigm.com/sds **Patent and license information** fluidigm.com/legalnotices | Fluidigm, the Fluidigm logo, and CyTOF are trademarks or registered trademarks of Fluidigm Corporation in the United States and/or other countries. © 2015 Fluidigm Corporation. All rights reserved. 07/2015