

Anti-Human Tim-3-153Eu

Catalog #: 3153008B

Package Size: 100 tests

Storage: Store product at 4°C. Do not freeze.

Cross Reactivity: Human

Clone: F38-2E2


Isotype: Mouse IgG1

Formulation: Antibody stabilizer with 0.05% Sodium Azide

Technical Information

Validation: Each lot of conjugated antibody is quality control tested by CyTOF® analysis of stained cells using the appropriate positive and negative cell staining and/or activation controls.

Recommended Usage: The suggested use is 1 µl for up to 3 X 10⁶ live cells in 100 µl. It is recommended that the antibody be titrated for optimal performance for each of the desired applications.



Human PBMCs were incubated for 3 days in media alone (left) or with PHA (right). Cells were then stained with 145Nd-anti-CD4 (RPA-T4) and 153Eu-anti-Tim-3 (F38-2E2). CD3+ T cells are displayed in the analysis.

Description

T-cell immunoglobulin and mucin domain-containing molecule 3 (Tim-3) is a type I transmembrane receptor that is constitutively expressed at high levels on NK cells, and also expressed on specific subsets of CD4+ and CD8+ T cells, on subpopulations of macrophages and DCs, and on monocytes, albeit to a lesser extent than on NK cells. Tim-3 was originally identified as a marker of terminally differentiated CD4+ Th1 cells, and subsequently associated with T-cell exhaustion and impaired virus-specific T-cell responses in HIV-1, hepatitis C virus (HCV) and hepatitis B virus (HBV) infection. To date, three ligands have been described for Tim-3, including Galectin-9 (Gal-9), cell-surface phosphatidylserine, and the high-mobility group box 1 (HMGB1) protein. Gal-9 is highly expressed in immune tissues, and engagement of Tim-3 by Gal-9 triggers apoptosis in CD4+ Th1 cells, T cells and thymocytes. Tim-3 signaling on immune cells can trigger either inhibitory or activating signals.

References

Bandura, D. R., et al. Mass Cytometry: Technique for Real Time Single Cell Multitarget Immunoassay Based on Inductively Coupled Plasma Time-of-Flight Mass Spectrometry. *Analytical Chemistry* 81:6813-6822, 2009.

Ornatsky, O. I., et al. Highly multiparametric analysis by mass cytometry. *J Immunol Methods* 361 (1-2):1-20, 2010.

Contact Information:

Sales: sales@DVSsciences.com | Support: support@DVSsciences.com
www.DVSsciences.com | For assistance by phone: 855-DVS-CYTO

This product is intended for Research Use Only. This product is not intended for therapeutic or diagnostic purposes in humans or animals.
This product contains antibodies manufactured by and sold under license from BioLegend and licensees thereof.

© 2011 DVS Sciences Inc. The trademarks mentioned herein are the property of DVS Sciences Inc. or their respective owners. DVS Sciences Inc. products are warranted to meet stated product specifications and to conform to label descriptions when used and stored properly. Unless otherwise stated, this warranty is limited to 6 months from date of sales for products used, handled and stored according to DVS Sciences, Inc. instructions. DVS Sciences, Inc. sole liability for the product is limited to replacement of the product or refund of the purchase price. Product may not be resold, modified for resale or used to manufacture commercial products without prior written approval from DVS Sciences Inc.

