

**Product Identifier: CyTOF® Calibration Beads** 

Catalog ID number: 201073

#### SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **Contact information**

**General** Fluidigm Corporation

7000 Shoreline Court Suite 100, South San Francisco, CA 94080

Main (U.S.): +1 (650) 266-6000 E-mail: techsupport@fluidigm.com

**Emergency telephone** 

number

+ (650) 266-6100 (outside US) + (866) 358-4354 (toll free)

**Product identifier** CyTOF® Calibration Beads

Synonyms None identified

Trade names None identified

Relevant identified uses of the substance or mixture and uses advised against

For research use only. Not for use in diagnostic procedures.

This SDS is written to address potential health and safety issues associated with the

handling of the formulated product.

#### **SECTION 2 - HAZARDS IDENTIFICATION**

Classification of the substance or mixture

Note

Globally Harmonized System [GHS]

Not classified.

**AU Hazard Classification** 

(NOHSC)

Hazardous Substance. Non-hazardous goods.

**Label elements** 

GHS hazard pictogram

GHS signal word

GHS hazard statements

GHS precautionary

None required

None required

statements

Other hazards May cause eye/skin irritation. Mixture not yet fully tested.

#### **SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS** <u>Ingredient</u> CAS # EINECS/ GHS <u>Amount</u> ELINCS# Classification Europium (III) Chloride 13759-92-7 $\sim 0.01$ Not classified N/A Hexahydrate 7732-18-5 ~99.99 Not classified Deionized Water (gradient, N/A $>18M\Omega$ ) Polystyrene Beads N/A N/A N/A Not classified



Product Identifier: CyTOF® Calibration Beads

Catalog ID number: 201073

#### **SECTION 4 - FIRST AID MEASURES**

Description of first aid measures

> **Immediate Medical Attention Needed**

No

If easy to do, remove contact lenses, if worn. Immediately flush eyes with copious quantities of water for at least 15 minutes. If irritation occurs or persists, notify medical personnel and

supervisor.

**Skin Contact** 

**Eye Contact** 

Wash exposed area with soap and water and remove contaminated clothing/shoes. If

irritation occurs or persists, notify medical personnel and supervisor.

See Section 8 for Exposure Controls/Personal Protection recommendations.

Inhalation

Immediately move exposed subject to fresh air. If not breathing, give artificial respiration. If breathing is labored, administer oxygen. Immediately notify medical personnel and

supervisor.

Ingestion

Do not induce vomiting unless directed by medical personnel. Do not give anything to drink unless directed by medical personnel. Never give anything by mouth to an unconscious

person. Notify medical personnel and supervisor.

Protection of first aid responders

Most important symptoms and effects, both acute and delayed

See Sections 2 and 11.

**Indication of immediate** medical attention and special symptomatically and supportively. treatment needed, if

Medical conditions aggravated by exposure: None known or reported. Treat

### **SECTION 5 - FIREFIGHTING MEASURES**

Extinguishing media

necessarv

Use water spray (fog), foam, dry powder, or carbon dioxide, as appropriate for surrounding

fire and materials.

the substance or mixture

Specific hazards arising from No information identified. May emit carbon monoxide, carbon dioxide, nitrogen-, chloride-,

and metal-containing compounds.

Flammability/Explosivity

Not expected to be flammable or explosive.

Advice for firefighters

Wear full protective clothing and a self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode. Decontaminate all

equipment after use.

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

If product is released or spilled, take proper precautions to minimize exposure by using appropriate personal protective equipment (see Section 8). Area should be adequately ventilated. Do not breathe mist/vapors/spray.

**Environmental precautions** 

Do not empty into drains. Avoid release to the environment.

Methods and material for containment and cleaning up

Dike area to contain spill. Maintain ventilation until all vapors have been eliminated. Take precautions as necessary to prevent contamination of ground and surface waters. If vials are crushed or broken, DO NOT CAUSE MATERIAL TO BECOME AIRBORNE. For small spills, soak up material with absorbent, e.g., paper towels. For large spills, cordon off spill area and minimize the spreading of spilled material. Soak up material with absorbent. Collect spilled material, absorbent, and rinse water into suitable containers for proper disposal in accordance with applicable waste disposal regulations (see Section 13). Decontaminate the

area twice.



Product Identifier: CyTOF® Calibration Beads

Catalog ID number: 201073

Reference to other sections See Sections 8 and 13 for more information.

#### **SECTION 7 - HANDLING AND STORAGE**

**Precautions for safe handling** Follow recommendations for handling pharmaceutical agents (i.e., use of engineering

controls and/or other personal protective equipment if needed). Avoid breathing vapor or mist. Do not permit eating/drinking/smoking near this material. All materials used for transferring or preparing this product must be considered contaminated and disposed of

properly.

Conditions for safe storage

including any incompatibilities Keep from contact with clothing and other combustible materials. Store at 4°C in tightly closed container. Avoid strong oxidizers. Store in sealed containers that are appropriately labeled. Do not store in metal or glass containers. Do not store in direct sunlight. Do not store near organic substances.

Specific end use(s) No information identified.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use mechanical exhaust or laboratory fumehood to avoid exposure. **Engineering controls** 

Respiratory protection Respiratory protection is not required. Where protection from nuisance levels of dusts or

aerosols are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Hand protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal

technique (without touching glove's surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

Skin protection Choose skin protection in relation to its type, to the concentration and amount of dangerous

substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the

specific work-place.

Wear safety glasses with side shields, chemical splash goggles, or full face shield, if Eye/face protection

necessary. Base the choice of protection on the job activity and potential for contact with

eyes or face. An emergency eye wash station should be available.

**Environmental Exposure** 

**Controls** 

Avoid release to the environment and operate within closed systems wherever practicable. Air and liquid emissions should be directed to appropriate pollution control devices. In case of spill, do not release to drains. Implement appropriate and effective emergency response procedures to prevent release or spread of contamination and to prevent inadvertent contact by personnel.

Other protective measures Wash hands in the event of contact with this product/mixture, especially before eating, drinking or smoking. Protective equipment is not to be worn outside the work area (e.g., in

Page 3 of 7

common areas or out-of-doors).

#### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

### Information on basic physical and chemical properties

**Appearance** Clear liquid Color Colorless

Odor No information identified. **Odor threshold** No information identified.

CyTOF® Calibration Beads



Product Identifier: CyTOF® Calibration Beads

Catalog ID number: 201073

No information identified.

Melting point/freezing

point

No information identified.

Initial boiling point and

boiling range

No information identified.

No information identified. Flash point **Evaporation rate** No information identified.

Flammability (solid, gas) Not applicable.

Upper/lower flammability No information identified.

or explosive limits

Vapor pressure No information identified Vapor density No information identified. Relative density No information identified. Water solubility Fully soluble in water. Solvent solubility No information identified.

**Partition coefficient** (n-octanol/water)

No information identified.

Auto-ignition temperature No information identified.

**Decomposition** temperature

No information identified.

**Viscosity** No information identified. **Explosive properties** No information identified. No information identified. **Oxidizing properties** 

Other information

Molecular weight Not applicable (Mixture) Molecular formula Not applicable (Mixture)

#### **SECTION 10 - STABILITY AND REACTIVITY**

Reactivity No data available.

Chemical stability Stable under normal handling and storage conditions.

Possibility of hazardous

reactions

No data available.

Conditions to avoid Keep away from incompatible materials.

**Incompatible materials** Strong oxidizers.

**Hazardous decomposition** 

products

Under fire conditions: Hydrogen chloride gas.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

Information on toxicological effects



Product Identifier: CyTOF® Calibration Beads

Catalog ID number: 201073

**Acute toxicity** No data available

Irritation/Corrosion No data available.

Sensitization No data available.

STOT-single exposure

No data available.

STOT-repeated

exposure/Repeat-dose

toxicity

No data available.

Reproductive toxicity

No data available.

**Developmental toxicity** 

No data available.

Genotoxicity

No data available.

Carcinogenicity

No studies identified. The ingredients in this mixture are not listed by NTP, IARC, ACGIH or

OSHA as a carcinogen.

**Aspiration hazard** 

No data available.

Human health data

See Section 2 - "Other hazards"

#### **SECTION 12 - ECOLOGICAL INFORMATION**

Toxicity No data available.

Persistence and Degradability No data available.

**Bioaccumulative potential** No data available.

Mobility in soil No data available.

Results of PBT and vPvB

assessment

Not performed.

Other adverse effects No data identified.

Note The environmental characteristics of this product/mixture have not been fully investigated.

Releases to the environment should be avoided.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

Waste treatment methods

Dispose of wastes in accordance to prescribed federal, state, and local guidelines, e.g., appropriately permitted chemical waste incinerator. Do not send down the drain or flush down the toilet. All wastes containing the material should be properly labeled. Rinse waters resulting from spill cleanups should be discharged in an environmentally safe manner, e.g., appropriately permitted municipal or on- site wastewater treatment facility.

## **SECTION 14 - TRANSPORT INFORMATION**

**Transport** Based on the available data, this product/mixture is not regulated as a hazardous

material/dangerous good under EU ADR/RID, US DOT, Canada TDG, IATA, or IMDG.

**UN** number None assigned.

UN proper shipping name None assigned.

Transport hazard classes and None assigned

packing group

**Environmental hazards** Based on the available data, this product/mixture is not regulated as an environmental

hazard or a marine pollutant.

CyTOF® Calibration Beads

Revision date: 29 July 2015, Version: 5.0.0

Page 5 of 7



**Product Identifier: CyTOF® Calibration Beads** 

Catalog ID number: 201073

**Special precautions for users** Avoid release to the environment.

Transport in bulk according to Not applicable.

Annex II of MARPOL73/78

and the IBC Code

**Hazardchem Code/HIN** None assigned.

#### **SECTION 15 - REGULATORY INFORMATION**

Safety, health and environmental

regulations/legislation specific for the substance or mixture This SDS complies with the requirements under US, EU and GHS (EU CLP - Regulation EC No 1272/2008) guidelines. Consult your local/regional authorities for more information.

Chemical safety assessment Not conducted.

Not conducted

WHMIS classification

Not classified.

**TSCA status** 

Not listed on TSCA inventory.

SARA section 313

Not listed.

California proposition 65

Not listed.

-State Regulations:

N/A

**International Regulations:** 

This product contains the following components listed on the Canadian NDSL list. All other

components are on the Canadian DSL list.

CAS No.

Europium (III) chloride hexahydrate

13759-92-7

Additional information

No other information identified.

#### **SECTION 16 - OTHER INFORMATION**

NFPA Ratings

Europium (III) chloride

hexahydrate

Health: --

Fire: -- Reactivity: --

Sources of data

Information from published literature and internal company data.

Abbreviations

ACGIH - American Conference of Governmental Industrial Hygienists; ADR/RID - European Agreement Concerning the International Carriage of Dangerous Goods by Road/Rail; AIHA -American Industrial Hygiene Association; CA - California; CAS# - Chemical Abstract Services Number; CLP - Classification, Labelling, and Packaging of Substances and Mixtures; DNEL - Derived No Effect Level; DOT - Department of Transportation; EINECS - European Inventory of New and Existing Chemical Substances; ELINCS - European List of Notified Chemical Substances; EU - European Union; GHS - Globally Harmonized System of Classification and Labeling of Chemicals; HI - Hawaii; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; LOEL - Lowest Observed Effect Level; LOAEL - Lowest Observed Adverse Effect Level; MA - Massachusetts; NIOSH - The National Institute for Occupational Safety and Health; NJ - New Jersey; NOEL - No Observed Effect Level; NOAEL - No Observed Adverse Effect Level; NTP - National Toxicology Program; OEL - Occupational Exposure Limit; OSHA - Occupational Safety and Health Administration; PA - Pennsylvania; PNEC - Predicted No Effect Concentration; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; US - United States; WHMIS - Workplace Hazardous Materials

Information System



**Product Identifier: CyTOF® Calibration Beads** 

Catalog ID number: 201073

**Issue Date** 29 July 2015

**Revisions** This is the first version of this SDS.

**Disclaimer** The statements contained herein are offered for informational purposes only and are based

upon technical data. Fluidigm Corporation believes them to be accurate at the date of publication, but does not purport to be all-inclusive. The above-stated product is intended for use only by persons having the necessary technical skills and facilities for handling the product at their discretion and risk. Since conditions and manner of use are outside our control, we (Fluidigm Corporation) make no warranty of merchantability or any such warranty, express or implied with respect to information and we assume no liability resulting from the above product or its use. Users should perform their own investigations to

determine suitability of information and product for their particular purposes.

CyTOF® Calibration Beads Revision date: 29 July 2015, Version: 5.0.0